# INDEX

Anderson, J. A., Canadian research on malting barley. II. Relations between certain barley and malt properties, 1–10.
Armstrong, J. M., investigations in Triticum–Agropyron hybridization, 41–53.

Barley, malting, Canadian research on. II. Relations between barley and malt properties, 1–10; assistance to agronomists and plant-breeders, 8–10; inter-varietal relations, 1–6; intra-varietal relations and prediction tests, 6–8.
Bond, T. E. T., *see* Eden, T.

Coffee, research and experiment station in Tanganyika, 113–24; buildings, climate, location, &c., 113–15; cultural and manurial expts., 119–24; improvement of coffee bush, 116–19; programme of work, 115–16.
Corn (maize), hybrid industry in Ontario, 110–11; breeding programme, 101–2; diseases: ear-rots, 106–8, leaf, 108, seedling, 104–5, stalk-rots, 105–6; development, 100–1; hybrids recommended, 108–9; seeding and seed-production, 110; zones of production, 109.
Cottons, the Sea Island, 80–92; history, 80–3; varieties, 83–7, 88.
Cullinan, S. J., *see* Walsh, Thomas.

Davies, R. O., response of grasses and clovers to treatment on acidic upland soils. Pt. V. Factors influencing long-term productivity on Molinia and fescue soils, 184–92.
Diseases and pests: of coffee, 114; corn (maize), 103–9; due to minor-element deficiencies, 93 sqq.; of mangolds, 74–6; potatoes, 19, 22–6, 158 sqq.; wheat, 131.
Donald, H. D., growth and distribution of the pedigree Red Poll cattle population in England, 169–82.

Eden, T., effects of manurial treatment on the growth of weeds in tea, 141–57.
Ellenby, G., susceptibility of S. American tuber-forming species of Solanum to the potato-root eelworm *Heterodera Rostochiensis*, Woll., 158–68.
Escritt, J. R., *see* Thomas, Brynmor.

Fertilizers and manures: for acidic upland soils, 186 sqq.; coffee, 122–4; cultivated crops in the Sahara, 137–8, 140; influence of, on uptake of minor elements, 97–9; for mangolds, 68–73, 77–9; in Netherlands East Indies, 54–9; for tea, 143–6, 149–51, 154.

Fertilizers, use of, in Netherlands Indies, 54–9; annual consumption, 54, 57, 58; application of, 58–9; nitrogenous, 55; phosphatic, 55–6; potassic, 56; use on European-owned estates, 57–8, in native agriculture, 56–7.
Foxes, effect of mating-time upon reproduction in, 193–8; experimental material, methods, and procedure, 193–5; results, 195–8.

Gilbert, S. M., the coffee research and experiment station, Tanganyika: a brief survey of the first ten years' work, 113–24.
Grasses and clovers on acidic upland soils, response to treatment of, 184–92; botanical composition of herbage, 188–91; dry-matter yields of untreated and treated herbage compared with yields on reseeded plots, 185–6; mean annual yields of CaO, $P_2O_5$, and protein, with and without limestone, 187–8; meteorology of mid-Wales, 184–5.
Gunn, C. K., effect of mating-time upon reproduction in foxes, 193–8.

Hawkes, J. G., indigenous American potatoes and their value in plant-breeding, 11–40.
Heather, common, minor elements of, 93–9; materials used, 94–5; methods, 95; mineral constituents of: Ca, Cl, Co, Cu, Fe, K, Mg, Mn, Na, P, S, Si, 95–7, as affected by liming and manuring, 97–9.
Honig, P., use of fertilizers in the Netherlands Indies, 54–9.
Hutchinson, J. B., the Sea Island cottons, 80–92.

Killian, G., irrigation and manuring of cultivated soils and natural humification in the Sahara, 135–40.
Koch, L. W., the hybrid corn industry in Ontario: pathological and other problems, 100–11.

Mangolds, Rothamsted experiments on, 1876–1940. II. Variations in yield due to: chalk and lime, 74, 75, manures, 68–73, 77–8, rainfall, 65–7, 68, plant-number, 67–8, soil acidity, 74, sowing-date, 67.
— at Saxmundham, 77–9; effects of fertilizers and f.y.m., 77–9, rainfall, 77.
Manning, H. L., *see* Hutchinson, J. B.

XUM

Measurement of animals, a new instrument for, 199–201; standardization of cattle measurements, 201–2.
Milton, W. E. J., *see* Davies, R. O.
Murwin, H. F., *see* Koch, L. W.

Olbrycht, T. M., a new instrument for measuring animals: standardization of measurements of cattle, 199–202.

Palmer, A. E., cultural practice for the control of wind erosion of soils in W. Canada, 125–34.
Plant-breeding: cottons, Sea Island, 80 sqq.; hybrid corn (maize), 100–2; potatoes, 11 sqq.; Triticum–Agropyron, 41 sqq.
Potatoes, indigenous American and their value in plant-breeding, 11–40; breeding capabilities, &c., 34–7; chemical composition, 31–41; geographical distribution of species, 12–13, 14, 20, 21; physiological properties, 27–31; resistance to diseases and pests, 19, 32–6; systematic classification of species, 13, 15–19.
Potatoes, S. American, susceptibility to potato-root eelworm, 158–68; experimental methods, 159; field trials, in 1941, 159, in 1942, 159–60, in 1943, 162, in 1944, 165; hatching tests with soil leachings and root-excretions in 1942, 160–2, in 1943, 162–5.

Range sheep in Canada, breeding projects, 213–23; feeding and carcass tests, 215, 217; projects, original and recent, 214; reproductive rate, 216, 217; skin folds, wrinkles, and face-cover, 222; weights and gains, 218–22.
Rasmussen, K., review of some range-sheep breeding projects in Canada, 213–23.
Red Poll cattle, growth and distribution of population in England, 169–83; distribution of herd-size, 173–4; geographical distribution of herds, 174–8; growth of breed, 170–3; origin of breed, 169–70; pedigree bulls, 178–80.
Russell, Sir E. J., *see* Watson, D. J.

Soils, control of wind erosion in W. Canadian, 125–34; agricultural improvement associations, 129–30; cover crops, 132; emergency measures, 133; extension and experimental programmes, 126–9, 130; ploughless fallowing, 131–2; re-grassing and rotations, 132; shelter belts, 133; strip farming, 131; summer fallowing, 131.
Soils, cultivated, in the Sahara, irrigation and manuring of, 135–40; cultivation operations, 136–7; date-palm and other crops, 136; humification in desert, 138–40; irrigation, 136, 137, 140; manures, green, 138, inorganic, 137–8, organic, 137; pastures, 135–6.
Soils, effect of wetting and drying on potash-fixation in, 203–12; experimental methods and soils used, 203–4; practical aspects of results, 209, 211; results of pot experiments, 204–7, 210; total replaceable potash-content as affected by wetting and drying and potash manuring, 207–8.
Soils, Molinia and fescue, factors affecting long-term productivity on, 184–92.

Tea, effects of manuring on growth of weeds in, 141–57; botanical effects, 146–52 methods used, 146, 148, relationship between Polygonum and other species, 147–8, responses to manuring, 149–51; effects on chemical composition of weeds 143–4, on yield of weeds, 142–3, on yield of weeds and tea, 144–6; weed-seeds in soils, 152–3.
Thomas, Brynmor, the minor elements of common heather (*Calluna vulgaris*), 93–9
Trinder, N., *see* Thomas, Brynmor.
Triticum–Agropyron, investigations in hybridization, 41–53; back-crossing, 47–8; compatibility of various crosses, 42–4; line-breeding, 44–7; production of amphidiploids, 48–50.

Walsh, Thomas, effect of wetting and drying on potash-fixation in soils, 203–12.
Watson, D. J., the Rothamsted experiments on mangolds, 1876–1940. III. Causes of variation of yield, 61–79.

Bd. Pers. Gen.